

PHILUX
Quality Products

Marshal

POWER KING®

PRODUCT CATALOGUE

Electrical products, fans, power protection,
extensions and home appliances

Shape Trading LLC
Cony Trading LLC

Brand Portfolio

- Power King
- Marshal
- Philux
- Sapphire Crest



Sales: +971-4-2561779

Sales WhatsApp: +971 56 626 6883

www.shapet.ae

“Behind the success of every small business, there is a family.” —Paul Ryan

Shape Trading LLC is a family-owned and managed business that began in the early 90's in Dubai, United Arab Emirates.

We are a wholesale distributor of electrical goods and home appliances, proudly representing Power King, Philux and Marshal. Our products include fans, stabilizers, power inverters, extension cables, lighting and home appliances.

Our motto has always been clear: create durable, quality products that support our customers' homes. This focus has helped us grow across Africa and the Middle East, reaching over 20 countries and building long-lasting relationships with customers locally and internationally.



Catalogue Contents

Fans & Air Movement

Stand Fans	23	Industrial Fans	9
Table Fans	3	Wall Fans	8
Box Fans	2	Orbit Fans	6
Tower Fans	2	60x60 Ceiling Fans	8
Rechargeable Fans	8	Mist Fans	4
Ceiling Fans & Regulators	3	Exhaust Fans	4
Floor Fans	1	Air Coolers	1

Power Management & Protection47 product cards

Stabilizers	31	Step Up & Down Transformers	6
Voltage Regulator Series	4	Power Inverters	3
Power Protectors	3		

Extension & Electrical Accessories20 product cards

Extension Cables & Plugs	20		
--------------------------	----	--	--

Home Appliances36 product cards

Irons	5	Rice Cookers	2
Kettles	1	Blenders	2
Hot Plates	5	Doorbells	11
Insect Killers	6	Water Heaters	4

Fans

Stand Fans 23

Industrial Fans 9

Table Fans 3

Wall Fans 8

Box Fans 2

Orbit Fans 6

Tower Fans 2

60x60 Ceiling Fans 8

Rechargeable Fans 8

Mist Fans 4

Ceiling Fans & Regulators 3

Exhaust Fans 4

Floor Fans 1

Air Coolers 1

Stand Fans

23 product cards



MA-1116

16" Stand fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Rated power: 45W
 - Base: Cross base
 - Speed control: 3 speeds
 - Blade: Double blade
 - Plug: 2 round pin



MA-16077

STAND FANS

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Rated power: 50W
 - Base: Round heavy base
 - Speed control: 3 speeds
 - Blade: AS 5 blades
 - Timer: In-built timer Elegant design
 - Plug: 2 round pin



MA-18088

18" Stand fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 55W
 - Blade: 5 pcs AS blade
 - Grill: ABS grill
 - Base: Cross base
 - Speed control: 3 speeds
 - Motor: Whisper quiet motor
 - Plug: 2 round pin

Stand Fans

23 product cards



MA-18040

18" Stand fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 55W
 - Blade: 5 pcs AS blade
 - Timer: In-built timer Whisper quiet timer
 - Base: Heavy round base
 - Plug: 2 round pin



BSD-18066

18" Stand fan (2in 1)

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Rated power: 65W
 - Base: 5 holes round base
 - Speed control: 3 speeds adjustable air flow
 - Plug: 2 round pin



MA-18055

18" Stand fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 50W
 - Blade: Double blade (3+5)
 - Base: Round base Airflow: Strong airflow
 - Plug: 2 round pin

Stand Fans

23 product cards



PK-4525

18" Stand fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 55W
 - Blade: AS 3 blades
 - Base: Heavy base Airflow: Cool air
 - Plug: 2 round pin



PK-4626

18" Stand fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 50W
 - Blade: AS 3 blades
 - Base: Heavy base Airflow: Cool air
 - Plug: 2 round pin



PK-SF18077

18" Stand fan

- Key Specifications
 - Voltage: 220-230V
 - Frequency: 50Hz
 - Rated power: 120W
 - Motor: Heavy duty motor Unique design metal front grill with metal line grill
 - Base: Heavy round base
 - Speed control: 3 speeds adjustable
 - Blade: 5 metal blades
 - Plug: BS plug

Stand Fans

23 product cards



PK-18786

18" Stand fan (Black/white/gray)

●

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Rated
- power: 55W
- Motor: Whisper quiet motor
- Timer: In-built timer
- Base: Heavy base
- Plug: 2 round pin



PK-18787

18" Stand fan (Green/blue/black)

●

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Rated
- power: 55W
- Motor: Whisper quiet motor
- Timer: In-built timer
- Base: Heavy base
- Plug: 2 round pin



PK-18780R

18" Stand fan

●

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Rated
- power: 60W Airflow: Strong airflow
- Display: LED display
- Base: Heavy base
- Plug: 2 round pin

Stand Fans

23 product cards



BSD-18360 (3 in 1)

18" Stand fan (3in 1)

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Rated power: 65W Motor with
 - Oscillation: 360 degree oscillation Aluminum 3 blades Safety coated guard High velocity performance
 - Motor: Heavy duty motor
 - Plug: 2 round pin



PK-18555

18" Stand fan(Black/Grey)

- Key Specifications
 - Voltage: 220V
 - Frequency: 50Hz
 - Rated power: 50+/-5W
 - Plug: 2 round pin
 - Motor: Super quiet motor
 - Speed control: 3 speeds Elegant design
 - Base: Heavy base



PK-18777

18" Stand fan(Black/White)

- Key Specifications
 - Voltage: 220V
 - Frequency: 50Hz
 - Rated power: 50+/-5W
 - Plug: 2 round pin
 - Motor: Super quiet motor
 - Speed control: 3 speeds Elegant design
 - Base: Heavy base

Stand Fans

23 product cards



PK-18999

18" Stand fan(Green/Blue)

Key Specifications

- Voltage: 220V
- Frequency: 50Hz
- Rated power: 50+/-5W
- Plug: 2 round pin
- Motor: Super quiet motor
- Speed control: 3 speeds Elegant design
- Base: Heavy base



PK-16077R

16" Stand fan with remote (White/Black/Red)

Key Specifications

- Voltage: 220V
- Frequency: 50Hz
- Rated power: 40+/-5W
- Plug: 2 round pin
- Timer: In-built timer
- Motor: Whisper quiet motor Elegant design



PK-18425

18" Stand fan (Gold/Green)

Key Specifications

- 18" Stand fan (Gold/Green)
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 53W
- Blade: 5pcs AS blade
- 4 speed settings with timer
- Plug: 2 round pin
- Durable quiet motor
- Oscillation function
- Round heavy base

Stand Fans

23 product cards



PK-SF1621

STAND FANS

Key Specifications

- 16 IN Stand Fan (AC)
- CCA motor with fuse 7116MM
- Voltage: 220V~ 50Hz
- Fan Power: 50W (Actual Power)
- Full plastic grill
- Blade: 5 ABS blades
- Blade/button colour: Golden painting
- Oscillating knob: Black
- 3-speed push buttons
- Mechanical auto-oscillation: Left/Right 75°-80°



PK-SF1876

STAND FANS

Key Specifications

- 18 IN Stand Fan (AC)
- Voltage: 220V~ 50Hz
- Fan Power: 75W (Actual Power)
- Unique design
- Front plastic grill with rear metal grill
- Chromed center plate on grill
- Blade: 6 PP blades
- Digital 3-speed control
- Remote control with LED display
- Soft touch screen
- 3 wind modes: Sleep, Natural, Normal
- Room temperature display
- Auto-oscillation: Left/Right 75°-80°
- Square base: 3KGS



PKS-18767

18" Stand fan

Key Specifications

- 18" Stand Fan
- Voltage: 230V
- Frequency: 50Hz
- Rated power: 90W
- Plug: BS plug
- Blade colour: Rose gold
- Blade: 5 leaf aluminum blades
- 4 speed selection
- High air delivery
- Heavy strong base

Stand Fans

23 product cards



A green and white stand fan with a circular grille and three blades. It has a white base and a green motor housing.

UNIVERSAL ROYAL STAND FAN ST-999

STAND FANS

● Key Specifications

- 16" Stand Fan
- Available in: Green, Blue and Gray
- Made in China



A green and white pedestal fan with a circular grille and five blades. It has a green base and a white motor housing. The fan is shown next to its packaging box.

AFRAH PEDESTAL FAN

STAND FANS

● Key Specifications

- 24" Pedestal fan
- Made in Pakistan

Industrial Fans

9 product cards



MA-500

20"industrial stand fan (Silver)

- Key Specifications
 - Voltage: 230V
 - Frequency: 50Hz
 - Rated power: 140W
 - Blade: 3 metal blades
 - Motor: Heavy copper motor 3 speed air control
 - Powerful air flow
 - Plug: BS plug



MA-W500

20"industrial wall fan (Silver)

- Key Specifications
 - Voltage: 230V
 - Frequency: 50Hz
 - Rated power: 140W
 - Blade: 3 metal blades
 - Motor: Heavy copper motor 3 speed air control
 - Powerful air flow
 - Plug: BS plug



MA-650

26"industrial stand fan (Silver)

- Key Specifications
 - Voltage: 230V
 - Frequency: 50Hz
 - Rated power: 190W
 - Blade: 3 metal blades
 - Motor: Heavy copper motor 3 speed air control
 - Powerful air flow
 - Plug: BS plug

Industrial Fans

9 product cards



The image shows a silver industrial stand fan with a black grille and three black blades. A circular inset shows a close-up of the remote control, which is silver with a black button and a red light indicator.

MA-650-R

26"industrial stand fan with remote (Silver)

● Key Specifications

- Voltage: 230V
- Frequency: 50Hz
- Rated
- power: 190W
- Blade: 3 metal blades
- Motor: Heavy copper motor 3 speed air control
- Powerful air flow
- Plug: BS plug



The image shows a silver industrial stand fan with a black grille and three blue blades. The fan is mounted on a black stand.

MA-W650

26"industrial stand fan (Silver)

● Key Specifications

- Voltage: 230V
- Frequency: 50Hz
- Rated
- power: 190W
- Blade: 3 metal blades
- Motor: Heavy copper motor 3 speed air control
- Powerful air flow
- Plug: BS plug



The image shows a silver industrial stand fan with a black grille and three black blades. A circular inset shows a close-up of the remote control, which is silver with a black button and a red light indicator.

MA-W650-R

26"industrial stand fan with remote (Silver)

● Key Specifications

- Voltage: 230V
- Frequency: 50Hz
- Rated
- power: 190W
- Blade: 3 metal blades
- Motor: Heavy copper motor 3 speed air control
- Powerful air flow
- Plug: BS plug

Industrial Fans

9 product cards



MA-W500

20"industrial wall fan (Black)

●

Key Specifications

- Voltage: 230V
- Frequency: 50Hz
- Rated power: 140W
- Blade: 3 metal blades
- Motor: Heavy copper motor 3 speed air control
- Powerful air flow
- Plug: BS plug



MA-650

26"industrial stand fan (Black)

●

Key Specifications

- Voltage: 230V
- Frequency: 50Hz
- Rated power: 190W
- Blade: 3 metal blades
- Motor: Heavy copper motor 3 speed air control
- Powerful air flow
- Plug: BS plug



MA-W650

26"industrial stand fan (Black)

●

Key Specifications

- Voltage: 230V
- Frequency: 50Hz
- Rated power: 190W
- Blade: 3 metal blades
- Motor: Heavy copper motor 3 speed air control
- Powerful air flow
- Plug: BS plug

Table Fans

3 product cards



MA-7816

16" Table fan

● Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 40W
- Blade: AS 5 blades
- Speed control: 3 speeds panel
- Motor: Whisper quiet motor
- Oscillation: 90 degree oscillation Poly-coated safety grill
- Plug: 2 round pin



ST-2022

TABLE FANS

● Key Specifications

- 16" Table fan
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 45W 4 PP blades
- Timer: With timer
- Speed control: 3 speeds Operate smoothly Elegant design
- Plug: 2 round pin



ST-2009

16" Table fan

● Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 40W 4 PP blades
- Speed control: 3 speeds
- Motor:
- High power motor Elegant design
- Plug: 2 round pin

Wall Fans

8 product cards


A black and white wall fan with three blades and a pull chain.

ST-45A

16" Wall fan

● Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 40W
- Blade: PP 3 blades
- Speed control: 3 speeds
- Motor:
- High power motor Airflow: Cool air
- Plug: 2 round pin

A blue and white wall fan with three blades and a pull chain.

ST-50A

16" Wall fan

● Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 40W
- Blade: PP 3 blades
- Speed control: 3 speeds
- Motor:
- High power motor Airflow: Cool air
- Plug: 2 round pin

A black and white wall fan with five blades and a pull chain.

MA-8816

WALL FANS

● Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 40W
- Blade: ABS 5 blades
- Speed control: 3 speeds Energy efficient High volume air movement Whisper
- quiet operation
- Plug: 2 round pin

Wall Fans

8 product cards



MA-8818

18" Wall fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 50W
 - Blade: ABS 5 blades
 - Speed control: 3 speeds High air-flow
 - Motor: Whisper quiet motor
 - Plug: 2 round pin



PKW-1878R

18" Metal wall

- Key Specifications
 - Fan
 - power: 150W
 - Speed control: 3 speeds (High-Medium-Low)
 - Grill: 135 pcs*1.4mm
 - Blade: 5 Aluminum blade (Rose gold) With remote
 - Motor:
 - High power motor Airflow:
 - Powerful airflow 2 pcs/color box



PKW-2024R

20" Metal wall

- Key Specifications
 - Fan
 - power: 150W
 - Speed control: 3 speeds (High-Medium-Low)
 - Grill: 150 pcs*1.4mm
 - Blade: 5 Aluminum blade (Rose gold) With remote
 - Motor:
 - High power motor Airflow:
 - Powerful airflow 2 pcs/color box

Wall Fans

8 product cards



PK-WF1870

WALL FANS

●

Key Specifications

- 18 in Wall Fans (AC) 220V~ 50Hz
- Fan
- power: 75W (Actual Power)
- Grill: Front plastic grill with Rear Metal Grill CD Chromed Center Plate on Grill Mechanical 3-Speed with Two Pull Chains
- Oscillation: Auto-oscillation (Left/Right 75 deg-80 deg)
- Plug: BS plug 2 SETS / 1 Color Box (5 Layers)



MARSHAL WALL FAN MA 8816

WALL FANS

●

Key Specifications

- 16"wall fanAvailable in 2 colors - blue and black
- Made in China

Box Fans

2 product cards




A white box fan with a black grille and a black motor housing. It has two control knobs on the top right.

ST-1212

12" Box fan

● Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 35W
- Timer: With timer
- Speed control: 3 speeds
- Motor: Super quiet motor
- Plug: 2 round pin



A white box fan with a black grille and a black motor housing. It has a control knob on the top right. The brand name 'UNIVERSAL ROYAL' is visible on the top left of the fan housing.

UNIVERSAL ROYAL ST-1216


BOX FANS

● Key Specifications

- 12"Box fanwith stand
- Available in: Blue & Grey
- Made in China

Orbit Fans

6 product cards



PK-OF1802

18" Orbit fan Gold

●

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 75W
- Blade: 5 metal blades
- Speed control: 3 speeds (with regulator) Exclusive design
- Motor: Heavy duty motor Powerful Air 2 pcs/color box 18" Orbit fan Silver
- Motor: Heavy duty motor Powerful Air 2 pcs/color box



PK-1602

16" Orbit fan Gold & Silver

●

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 60W
- Blade: 3 metal blades
- Speed control: 3 speeds (with regulator) Exclusive design
- Motor: Heavy duty motor Powerful Air 4 pcs/color box



PK-1602

16" Orbit fan Gold & Silver

●

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 50W 3 AS blades
- Speed control: 3 speeds (with regulator) Exclusive design
- Motor: Heavy duty motor Powerful Air 4 pcs/color box

Orbit Fans

6 product cards



A 16-inch orbit fan with blue and green blades, mounted on a white base with a silver grille.

MOF-1602 color box

16" Orbit fan Blue & Green

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 45W
- Blade: 3 metal blades
- Speed control: 3 speeds (with regulator)
- Motor:
- High power motor 4 pcs/color box



A 16-inch orbit fan with blue and green blades, mounted on a white base with a silver grille.

MOF-1602 brown box

16" Orbit fan Blue & Green

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 45W
- Blade: 3 metal blades
- Speed control: 3 speeds (with regulator)
- Motor:
- High power motor SKD packing 2 sets grill and 2 pcs blade in one brown box 2 pcs motor in one brown box



A 18-inch orbit fan with a silver grille and a white base, featuring a unique design with a front plastic grill and rear metal grill.

PK-OF1895

ORBIT FANS

Key Specifications

- 18 IN Orbit Fan (AC)
- Voltage: 220V~ 50Hz
- Fan Power: 75W (Actual Power)
- Unique design
- Front plastic grill with rear metal grill
- Chromed center plate on grill
- Mechanical 3-speed with regulator
- Auto-oscillation: 360°
- Packing: 2 sets / 1 color box, 5 layers

Tower Fans

2 product cards



PKTF-390

39 inch tower fan

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 40W
- Packing: 1 pc/color box, 4 pcs/master carton
- Functions: 3 wind modes (Sleep, Natural, Normal)
- Room temperature display
- Timer: 1-12H hours timer
- Eco mode
- Auto-oscillation: Left/Right 80°
- Electronic control with digital LED display



PKTF-460

46 inch tower fan

Key Specifications

- Voltage: 220-240V
- Frequency: 50Hz
- Power: 45W
- Packing: 1 pc/color box, 4 pcs/master carton
- Speed control: 3 speeds
- Functions: 3 wind modes (Sleep, Natural, Normal)
- Room temperature display
- Timer: 1-12H hours timer
- Auto-oscillation: Left/Right 80°
- Electronic control with digital LED display

60x60 Ceiling Fans

8 product cards



MA-CF1485

False ceiling fan without light

Key Specifications

- False ceiling fan without light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 65W
- 3-Speed with remote control
- Timer: 1-7H
- 360° Louver
- 1PC/BOX



MA-CFL1485

False ceiling fan with light

Key Specifications

- False ceiling fan with light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 65W
- 3-Speed with remote control
- Timer: 1-7H
- 360° Louver
- 1PC/BOX



MA-CF1485

False ceiling fan without light

Key Specifications

- False ceiling fan without light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 55W
- 3-Speed with remote control
- Timer: 3H
- 360° Louver
- 1PC/BOX

60x60 Ceiling Fans

8 product cards



MA-CFL1485

False ceiling fan with light

Key Specifications

- False ceiling fan with light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 55W
- 3-Speed with remote control
- Fitting with LED lights
- Timer: 3H
- 360° Louver
- 1PC/BOX



MA-SCF1485

False ceiling fan without light

Key Specifications

- False ceiling fan without light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 55W
- 3-Speed with remote control
- Timer: 3H
- 360° Louver
- 1PC/BOX



MA-SCFL1485

False ceiling fan with light

Key Specifications

- False ceiling fan with light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 55W
- 3-Speed with remote control
- Fitting with LED lights
- Timer: 3H
- 360° Louver
- 1PC/BOX

60x60 Ceiling Fans

8 product cards



MA-SCFW1485

False ceiling fan without light

Key Specifications

- False ceiling fan without light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 55W
- 3-Speed with remote control
- Timer: 3H
- 360° Louver
- 1PC/BOX



MA-SCFLW1485

False ceiling fan with light

Key Specifications

- False ceiling fan with light
- Voltage: 220-240V
- Frequency: 50Hz
- Power: 55W
- 3-Speed with remote control
- Fitting with LED lights
- Timer: 3H
- 360° Louver
- 1PC/BOX

Rechargeable Fans

8 product cards



PK-TW1607

RECHARGEABLE FANS

Key Specifications

- 2pcs x 6V 4.5AH rechargeable lead-acid battery
- Table and wall fan with handle
- Power: 25W
- 5V USB output port
- Remote control
- 3 speeds
- AC and DC mode automatically change
- Charging time: 16-20Hrs
- Duration time: H:6Hrs | M:10Hrs | L:22Hrs
- Night Light: Strong:220Hrs / Weak:440Hrs
- Carton Qty: 3 pcs | Color box size: 425*160*425mm | Carton Size: 504*441*444mm



PK-CSM1840

RECHARGEABLE FANS

Key Specifications

- 12V 7AHRechargeable Lead-acid Battery
- Power: fan 45W/fan+mist: 66W AC/DC Operate 5V USB Output Port/15V Input Socket LED Light/Digital Indicator 15V Input socket
- Remote: Remote control Water Spray 1-9 Speeds Natural wind mode AC and DC Mode Automatically Change hours timer 1-9
- Carton Qty: 1 pcs
- Color box size: 642*154*630mm



PK-CBF1255

RECHARGEABLE FANS

Key Specifications

- 6V4.5AHRechargeable Lead-acid Battery AC/DC Operate 5V USB Output Port 9V Input Socket 12 pcs LED Night Light
- Control panel
- function: 9 Speeds Selection: +/- AC and DC Mode Automatically Change
- Night light: Strong/Weak 0.5 hours timer

Rechargeable Fans

8 product cards



PK-CTF1655

RECHARGEABLE FANS

- Key Specifications
- AC/DC operated 6v 4.5Ah Rechargeable Lead-acid battery 5V USB Output for Phone Charge 9V
- Input: DC Socket
- Light source: 4 pcs LED Night light+ Battery indicator Button
- Function: AC Mode/OFF/DC mode
- Night light: H/OFF/L 3
- Speed: H/M/L



PK-CSF1899

RECHARGEABLE FANS

- Key Specifications
- 12V4.5AHRechargeable Lead-acid Battery AC/DC Operate 5V USB Output Port 15V Input Socket 6 pcs LED Night Light Battery Capacity Indicator 15V Input Electric Connector
- Remote: Remote control
- Control panel
- function:
- Speed control: 3
- speeds : High/Medium/Low AC and DC Mode Automatically Change
- Night light: Strong/Weak



PK-CSF1822

RECHARGEABLE FANS

- Key Specifications
- 12V 7AHRechargeable Lead-acid Battery AC/DC Operate 5V USB Output Port 15V Input Socket 6 pcs LED Night Light
- Display: Digital indicator 15V Input Electric Connector
- Remote: Remote control
- Remote: Remote control shaking. 9 Speeds Natural wind mode AC and DC Mode Automatically Change 1-9

Rechargeable Fans

8 product cards



PK-BF1275

2IN1Rechargeable12" Fan & Lamp

●

Key Specifications

- Voltage: 110-264V
- Input: DC12V
- Power: 18W
- Quiet operation 2 Speed modes 4500mAH rechargeable battery
- Up to 6 hours of usage
- LED lighting



PK-CSF1635

2IN1 Rechargeable 16" Fan & Lamp

●

Key Specifications

- Voltage: 110-220V 50Hz/60Hz
- Input: DC 12V
- Power: 31W
- Safety metal grill
- AC/DC Dual power
- Super bright-bright light function

Mist Fans

4 product cards



PK-MH88

MIST FANS

● Key Specifications

- SWING: 120 degrotating air supply
- Water tank: 3L
- Plug: BS plug
- Cooling: 60W
- Heating: 1800W 3 wind speeds adjustment
- Remote: Remote controlled Overheating protection Tip-over Protection
- Timer: 9hours



PK-MH99

MIST FANS

● Key Specifications

- SWING: 120 degrotating air supply
- Water tank: 3L
- Plug: BS plug
- Cooling: 60W
- Heating: 1800W 3 wind speeds adjustment
- Remote: Remote controlled Overheating protection Tip-over Protection
- Timer: 9hours



PK-MH77

MIST FANS

● Key Specifications

- SWING: 120 degrotating air supply
- Water tank: 3L
- Plug: BS plug
- Cooling: 60W
- Heating: 1800W 3 wind speeds adjustment
- Remote: Remote controlled Overheating protection Tip-over Protection
- Timer: 9hours

Mist Fans

4 product cards



MA-2626

MIST FANS

- Key Specifications
 - 26" Mist fan 220-240V 50Hz
 - Maximum power: 230W 3 level adjustable wind
 - Speed: 40L water tank capacity
 - Air flow: 185m3/min
 - Maximum spray distance: 10m
 - Capability to drop temperature: 1- 2 deg C

Ceiling Fans & Regulators

3 product cards



MA-5699

CEILING FANS & REGULATORS

● Key Specifications

- 56inch Ceiling Fan 220-240V 50Hz 70W+/-10%
- Motor: 3.0KG+/-100g, copper wire * with safety switch
- Blade: 3 conjoined blades
- Speed control: 5 speeds regulator (PP)
- Packing: 3 pcs/ctn, motor with foam protection + brown blade box + stronger brown master



MA-111

CEILING FANS & REGULATORS

● Key Specifications

- Regulator with back cover 220V~ 50Hz
- Speed: 5 Speeds Type: Capacitor Individual Color box + Brown Master Carton 50 PCS/CTN



PK-1602

CEILING FANS & REGULATORS

● Key Specifications

- Regulator220V~ 50Hz
- Speed:
- Speed control: 3 speeds Individual Color box + Brown Master Carton 80 PCS/CTN

Exhaust Fans

4 product cards



A square white exhaust fan with a black grille and a central hub with six blades. The brand name 'Marshall' is visible at the bottom of the grille.

TVF-6

EXHAUST FANS

- Key Specifications
 - square6"Copper-clad aluminum motor



A square white exhaust fan with a black grille and a central hub with six blades. The brand name 'Marshall' is visible at the bottom of the grille.

TVF-8

EXHAUST FANS

- Key Specifications
 - square8"Copper-clad aluminum motor



A square white exhaust fan with a black grille and a central hub with six blades. The brand name 'Marshall' is visible at the bottom of the grille.

TVF-10

EXHAUST FANS

- Key Specifications
 - square10"Copper-clad aluminum motor

Exhaust Fans

4 product cards



TVF-12

EXHAUST FANS

- Key Specifications
- square12"Copper-clad aluminum motor

Floor Fans

1 product cards



MA-2056

20" Floor fan / 20" Turbo fan

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 60W+/-10% Plastic mesh cover 5 Aerodynamic blades
 - Speed control: 3 speeds Rotation up to 180 deg Excellent Air Flow

Air Coolers

1 product cards



MA-WC3200

Air cooler (With remote)

- Key Specifications
 - Voltage: 220-240V
 - Power: 140W
 - Frequency: 50Hz
 - Airflow capacity: 4800m3/h
 - Tank capacity: 32L Quick cooling
 - Clean air filter
 - Save power

Power Management & Protection

Stabilizers	31
-------------	----

Step Up & Down Transformers	6
-----------------------------	---

Voltage Regulator Series	4
--------------------------	---

Power Inverters	3
-----------------	---

Power Protectors	3
------------------	---

Stabilizers

31 product cards



PHR-500VA

STABILIZERS

- Key Specifications
 - AUTOMATIC VOLTAGE REGULATOR: METER DISPLAY
 - Plug: France plug



PHR-1000VA

STABILIZERS

- Key Specifications
 - Brand: PHILUX; 80% Power(when input voltage is over 190V)
 - Input: 100-260V



PHR-3000VA

STABILIZERS

- Key Specifications
 - Brand: PHILUX; 80% Power(when input voltage is over 190V)
 - Input: 100-260V

Stabilizers

31 product cards

PHR-5000VA

STABILIZERS



- Key Specifications
 - Brand: PHILUX; 80% Power(when input voltage is over 190V)
 - Input: 100-260V

SLR-1000VA

STABILIZERS



- Key Specifications
 - Brand: Marshal; 80% Power(when input voltage is over 190V)
 - Input: 100-260V

SLR-1500VA

STABILIZERS



- Key Specifications
 - Brand: Marshal; 80% Power(when input voltage is over 190V)
 - Input: 100-260V

Stabilizers

31 product cards



SLR-2000VA

STABILIZERS

- Key Specifications
 - Brand: Marshal; 80% Power(when input voltage is over 190V)
 - Input: 100-260V



SLR-3000VA

STABILIZERS

- Key Specifications
 - Brand: Marshal; 80% Power(when input voltage is over 190V)
 - Input: 100-260V



SLR-5000VA

STABILIZERS

- Key Specifications
 - Brand: Marshal; 80% Power(when input voltage is over 190V)
 - Input: 100-260V

Stabilizers

31 product cards



AVR-1000VA

STABILIZERS

- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V



AVR-1500VA

STABILIZERS

- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V



AVR-2000VA

STABILIZERS

- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V

Stabilizers

31 product cards

AVR-3000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V

AVR-5000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V

AVR-500VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 60% Power(when input voltage is over 190V)
- Input: 150-260V

Stabilizers

31 product cards



AVR-1000VA

STABILIZERS

●

Key Specifications

- Brand: PHILUX; 60% Power(when input voltage is over 190V)
- Input: 150-260V



AVR-1500VA

STABILIZERS

●

Key Specifications

- Brand: PHILUX; 60% Power(when input voltage is over 190V)
- Input: 150-260V



AVR-2000VA

STABILIZERS

●

Key Specifications

- Brand: PHILUX; 60% Power(when input voltage is over 190V)
- Input: 150-260V

Stabilizers

31 product cards

AVR-3000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 60% Power(when input voltage is over 190V)
- Input: 150-260V

AVR-5000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 60% Power(when input voltage is over 190V)
- Input: 150-260V

DVR-1000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 130-260V

Stabilizers

31 product cards

DVR-1500VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 130-260V

DVR-2000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 130-260V

DVR-3000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V

Stabilizers

31 product cards

DVR-5000VA

STABILIZERS



- Key Specifications
- Brand: PHILUX; 80% Power(when input voltage is over 190V)
- Input: 100-260V

AVR-500VA HI-QLINK

STABILIZERS



- Key Specifications
- Brand: HI-QLINK; 80% Power(when input voltage is over 190V)
- Input: 100-280V

AVR-1000VA HI-QLINK

STABILIZERS



- Key Specifications
- Brand: HI-QLINK; 80% Power(when input voltage is over 190V)
- Input: 100-280V

Stabilizers

31 product cards



AVR-1500VA HI-QLINK

STABILIZERS

- Key Specifications
 - Brand: HI-QLINK; 80% Power(when input voltage is over 190V)
 - Input: 100-280V



AVR-2000VA HI-QLINK

STABILIZERS

- Key Specifications
 - Brand: HI-QLINK; 80% Power(when input voltage is over 190V)
 - Input: 100-280V



AVR-3000VA HI-QLINK

STABILIZERS

- Key Specifications
 - Brand: HI-QLINK; 80% Power(when input voltage is over 190V)
 - Input: 100-280V

Stabilizers

31 product cards



AVR-5000VA HI-QLINK

STABILIZERS

- Key Specifications
- Brand: HI-QLINK; 80% Power(when input voltage is over 190V)

Step Up & Down Transformers

6 product cards

The image shows a black rectangular transformer unit with a white label. The label includes the text 'STEP UP & DOWN TRANSFORMER', 'ST-750VA', 'OUTPUT', '110V', '220V', 'POWER SOURCE', and 'PHILUX'. It features two output sockets on the left and a power switch on the right.

ST-300VA

STEP UP & DOWN TRANSFORMERS

- Key Specifications
 - Step-Down
 - Brand: PHILUX; Black case; 2 black output sockets(multifunctional 3 pole); Cable with
 - Plug: France plug

The image shows a black rectangular transformer unit with a white label. The label includes the text 'STEP UP & DOWN TRANSFORMER', 'ST-750VA', 'OUTPUT', '110V', '220V', 'POWER SOURCE', and 'PHILUX'. It features two output sockets on the left and a power switch on the right.

ST-500VA

STEP UP & DOWN TRANSFORMERS

- Key Specifications
 - Brand: PHILUX; Black case; 2 black output sockets(multifunctional 3 pole); Cable with
 - Plug: France plug

The image shows a black rectangular transformer unit with a white label. The label includes the text 'STEP UP & DOWN TRANSFORMER', 'ST-750VA', 'OUTPUT', '110V', '220V', 'POWER SOURCE', and 'PHILUX'. It features two output sockets on the left and a power switch on the right.

ST-1000VA

STEP UP & DOWN TRANSFORMERS

- Key Specifications
 - Brand: PHILUX; Black case; 2 black output sockets(multifunctional 3 pole); Cable with
 - Plug: France plug

Step Up & Down Transformers

6 product cards

The image shows a black rectangular transformer unit with two white output sockets on the left, labeled '110V' and '220V'. On the right, there is a red power switch with 'ON' and 'OFF' positions. The top of the unit has the text 'STEP UP & DOWN TRANSFORMER', 'ST-750VA', and the 'PHILUX' logo.

ST-1500VA

STEP UP & DOWN TRANSFORMERS

- Key Specifications
 - Brand: PHILUX; Black case; 2 black output sockets(multifunctional 3 pole); Cable with
 - Plug: France plug

The image shows a black rectangular transformer unit with two white output sockets on the left, labeled '110V' and '220V'. On the right, there is a red power switch with 'ON' and 'OFF' positions. The top of the unit has the text 'STEP UP & DOWN TRANSFORMER', 'ST-750VA', and the 'PHILUX' logo.

ST-2000VA

STEP UP & DOWN TRANSFORMERS

- Key Specifications
 - Brand: PHILUX; Black case; 2 black output sockets(multifunctional 3 pole); Cable with
 - Plug: France plug

The image shows a black rectangular transformer unit with two white output sockets on the left, labeled '110V' and '220V'. On the right, there is a red power switch with 'ON' and 'OFF' positions. The top of the unit has the text 'STEP UP & DOWN TRANSFORMER', 'ST-750VA', and the 'PHILUX' logo.

ST-5000VA

STEP UP & DOWN TRANSFORMERS

- Key Specifications
 - Brand: PHILUX; Black case; 2 black output sockets(multifunctional 3 pole); Cable with
 - Plug: France plug

Voltage Regulator Series

4 product cards



MARSHAL AUTOMATIC VOLTAGE REGULATOR SLR VOLTAGE REGULATOR SERIES

- Key Specifications
- Available in: 500, 1000, 1500, 2000, 3000, 5000 VA



PHILUX AUTOMATIC VOLTAGE REGULATOR AVR VOLTAGE REGULATOR SERIES

- Key Specifications
- Available in: 500, 1000, 1500, 2000, 3000 & 5000 VA



PHILUX DIGITAL AUTOMATIC VOLTAGE REGULATOR DVR VOLTAGE REGULATOR SERIES

- Key Specifications
- Available in: 500, 1000, 1500, 2000, 3000 & 5000 VA

Voltage Regulator Series

4 product cards



PHILUX AUTOMATIC VOLTAGE REGULATOR PHR VOLTAGE REGULATOR SERIES

- Key Specifications
- Available in: 500, 1000, 1500, 2000, 3000 & 5000 VA

Power Inverters

3 product cards



PHILUX GOLD POWER INVERTER

POWER INVERTERS

Key Specifications

- Available with or without charger
- Power options: 1000W, 1500W, 2000W, 3000W, 5000W
- 3000W available in 24V DC
- Made in China



PHILUX GOLD POWER INVERTER PG

POWER INVERTERS

Key Specifications

- Blister packing
- Without charger
- Power options: 75W, 100W, 150W, 200W
- Made in China



PHILUX GOLD POWER INVERTER

POWER INVERTERS

Key Specifications

- Power options: 300W, 500W & 600W
- Available in blue and black
- With charger
- Made in China

Power Protectors

3 product cards



Marshal MAP-331

POWER PROTECTORS

Key Specifications

- TV/DVD GUARD
- Work voltage: 220V
- Frequency: 50/60Hz
- Current: 10A
- Delay time: 10S
- Under voltage: 150V
- Over voltage: 260V



Power King PKP-319

POWER PROTECTORS

Key Specifications

- TV/DVD GUARD
- Work voltage: 220V
- Frequency: 50/60Hz
- Current: 10A
- Delay time: 10S
- Under voltage: 150V
- Over voltage: 260V



Power King PKP-105

POWER PROTECTORS

Key Specifications

- Work voltage: 220V
- Current: 30A
- Delay time: 10S-10M (adjustable)
- Under voltage: 150-230V (adjustable)
- Over voltage: 230-300V (adjustable)
- Protection: over-voltage, surges & spikes

Extension & Electrical Accessories

Extension Cables & Plugs

20

Extension Cables & Plugs

20 product cards



The image shows two Power King adaptors. On the left is a white plastic adaptor with a blue top section and a red switch. On the right is its retail packaging, which is blue and white with the 'POWER KING' logo and model number 'PK-0077'. The packaging also mentions '2 AMP' and 'MADE IN CHINA'.

POWER KING ADAPTOR PK 0077 & 0088

EXTENSION CABLES & PLUGS

Key Specifications

- With USB & Night Lamp
- 2 pin & 3 pin British Standard
- 2 AMP
- Made in China



The image shows a white rectangular power outlet. It has a large black 3-pin socket at the top and two smaller red 2-pin sockets at the bottom. The 'POWER KING' logo is printed in blue and red in the center.

UNIVERSAL MULTI PLUG PK 7506 & 7507

EXTENSION CABLES & PLUGS

Key Specifications

- 7506 - 3 PIN British Standard
- 7507 - 2 PIN
- Made in China



The image shows a white square travel adaptor. It features a large black 3-pin socket at the top and two red 2-pin sockets at the bottom. A small red switch is visible on the left side.

TRAVEL ADAPTOR TL 11, 12 & 15

EXTENSION CABLES & PLUGS

Key Specifications

- TL 12 & 15 - 2 PIN
- TL 11 - 3 PIN
- British Standard
- Made in China

Extension Cables & Plugs

20 product cards




Diagram showing the wiring instructions for the Power King Top Plug PK 8001 & 8001 N. The diagram includes labels for the plug terminals: E (Earth), N (Neutral), and L (Live). It also shows the internal components: a 13A fuse, a 22MM terminal block, and a cord grip. The wiring instructions specify: GREEN OR GREEN/YELLOW to E, BLACK OR BLUE to N, and RED OR BROWN to L. A warning label states: "DO NOT USE THIS PLUG FOR ANY OTHER PURPOSES. IT IS NOT A REPAIRABLE PLUG. IT IS A DISPOSABLE PLUG."

POWER KING TOP PLUG PK 8001 & 8001 N

EXTENSION CABLES & PLUGS

Key Specifications

- 8001N - With neon light
- Made in China



Image showing the Power King Extension PK 304, a 3-way extension cable with a 3-pin British Standard plug and a 3-way extension cable.

POWER KING EXTENSION PK 304

EXTENSION CABLES & PLUGS

Key Specifications

- Available in 3M only
- 3, 4, 5 and 6 Way
- 3 Pin British Standard
- Made in China




Image showing the Power King Extension Cable PK 753, 754, 755, 756, a 3-way extension cable with a 3-pin British Standard plug and a 3-way extension cable.

POWER KING EXTENSION CABLE PK 753, 754, 755, 756

EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Available in black color
- Made in China

Extension Cables & Plugs

20 product cards




POWER KING EXTENSION CABLE PK 972, 973, 974, 975, 976 3M

EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 2 Way, 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Made in China



POWER KING EXTENSION CABLE 1003, 1004, 1005, 1006 3M

EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Made in China



POWER KING EXTENSION CABLE PK 7012, 7013, 7014, 7015, 7016 3M

EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 2 Way, 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Made in China

Extension Cables & Plugs

20 product cards



A white extension cable with a 3-pin British Standard plug and four outlets.

POWER KING EXTENSION CABLE PK 783, 784, 785, 786

EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Made in China



A white extension cable with a 3-pin British Standard plug and four outlets.

POWER KING EXTENSION CABLE PK 814, 815, 816 3M

EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 4 Way, 5 Way, 6 Way
- 2 & 3 Pin British Standard
- Available in 2 colors: White & Black
- Made in China



A white extension cable with a 3-pin British Standard plug and four outlets.

POWER KING EXTENSION CABLE PK 912, 913, 914, 915, 916


EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 2 Way, 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Made in China

Extension Cables & Plugs

20 product cards



POWER KING EXTENSION PK 7703, 7704, 7705, 7706 3M EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 3 Way, 4 Way, 5 Way, 6 Way
- 2 & 3 Pin British Standard
- Made in China



POWER KING EXTENSION CABLE PK 413, 414, 415 & 416 EXTENSION CABLES & PLUGS

Key Specifications

- 3M Cable
- 3 Way, 4 Way, 5 Way, 6 Way
- 3 Pin British Standard
- Made in China



ASTRA EXTENSION CABLE EXTENSION CABLES & PLUGS

Key Specifications

- Available in 3M & 5M Cable
- 3 Way, 4 Way, 5 Way, 6 Way
- 2 Pin & 3 Pin British Standard

Extension Cables & Plugs

20 product cards

A red circular cable reel with a black handle and a black base. It has two yellow outlets on the front. The label on the reel says "POWER KING", "HEAVY DUTY CABLE REEL", "PK5500", "50M", "1300W", "1500W", "350V~", and "1.5mm".

POWER KING CABLE REEL PK 5225 (25M), 5550 (50M), 5500(0M)

EXTENSION CABLES & PLUGS

Key Specifications

- Available in 3 pin only
- Cable length: 25M, 50M and empty roll
- Wire thickness: 1.5mm

A blue circular cable reel with a black handle and a black base. It has two red outlets on the front. The label on the reel says "POWER KING", "HEAVY DUTY CABLE REEL", "PK8225", "25M", "40M", "1300W", "1500W", "350V~", and "2.5mm".

POWER KING CABLE REEL EXTENSION PK 8225 (25M), 8240 (40M)

EXTENSION CABLES & PLUGS

Key Specifications

- Available in 3 pin only
- Cable length: 25M and 40M
- Wire thickness: 2.5mm
- Available in black & blue wire

A black circular cable reel with a black handle and a black base. It has two yellow outlets on the front. The label on the reel says "POWER KING", "HEAVY DUTY CABLE REEL", "PK8282", "5M", "10M", "1300W", "1500W", "350V~", and "2.5mm".

POWER KING CABLE REEL EXTENSION PK 8282

EXTENSION CABLES & PLUGS

Key Specifications

- Available in 2 pin & 3 pin
- Cable length: 5M and 10M

Extension Cables & Plugs

20 product cards



A blue Philux Cable Reel 7225, featuring a black handle and a black cable. The reel has a black faceplate with several red outlets and a red switch. The brand name 'PHILUX' and 'CABLE REEL' are visible on the top of the reel.

PHILUX CABLE REEL 7225

EXTENSION CABLES & PLUGS

Key Specifications

- 25M available in 3 pin and 2 pin
- Thickness: 1.5mm
- Made in China



A blue Philux Cable Reel 7250, featuring a black handle and a black cable. The reel has a black faceplate with several red outlets and a red switch. The brand name 'PHILUX' and 'CABLE REEL' are visible on the top of the reel.

PHILUX CABLE REEL 7250

EXTENSION CABLES & PLUGS

Key Specifications

- 50M available in 3 pin and 2 pin
- Thickness: 1.5mm
- Made in China

Home Appliances

Irons	5
-------	---

Rice Cookers	2
--------------	---

Kettles	1
---------	---

Blenders	2
----------	---

Hot Plates	5
------------	---

Doorbells	11
-----------	----

Insect Killers	6
----------------	---

Water Heaters	4
---------------	---

Irons

5 product cards



A red and white steam iron with a black soleplate and a silver steam control dial.

MA-1128D

IRONS

- Key Specifications
 - DRY IRON220-240V 50-60HZ 1200W



A purple and white steam iron with a black soleplate and a silver steam control dial.

MA-1198

IRONS

- Key Specifications
 - STEAM SPRAY BURST IRON 220-240V 50-60HZ 1200W



A blue and white steam iron with a black soleplate and a silver steam control dial.

MA-1158

IRONS

- Key Specifications
 - STEAM SPRAY IRON 220-240V 50-60Hz 1200W

Irons

5 product cards



MA-2068

IRONS

● Key Specifications

● STEAM SPRAY BURST IRON 220-240V 50-60HZ 1400W



MA-4777

IRONS

● Key Specifications

● Dry/Spray/Variable steam control/vertical steam/Powerful burst of steam/self cleaning Sole plate: Non-stick sole plate

● Power: 230V~50Hz 2200W power cord with

● Plug: BS plug

Rice Cookers

2 product cards



SCC2022

RICE COOKERS

●

Key Specifications

- FUNCTION: MULTI COOKER a. STANDARD COOK b. REHEAT C. STEW e. PORRIDGE d. SOUP f. STEAM g. MILK PORRIDGE
- ACCESSORIES: MEASURING CUP & SPOON
- Plug: BS plug 230V. 50Hz T 700W
- PACKING: 1PC/COLOR BOX, 6 pcs/MASTER CARTON



SCC3033

RICE COOKERS

●

Key Specifications

- FUNCTION: MULTI COOKER a. STANDARD COOK b. REHEAT C. STEW e. PORRIDGE d. SOUP f. STEAM g. MILK PORRIDGE
- ACCESSORIES: MEASURING CUP & SPOON
- Plug: BS plug 230V. 50Hz T 1000W
- PACKING: 1PC/COLOR BOX, 4 pcs/MASTER CARTON

Kettles

1 product cards



The image shows a stainless steel electric kettle with a black handle and base. The brand name 'SAPPHIRE CREST' is visible on the front of the kettle. The kettle is shown in a product shot with a white background and a subtle shadow.

CSK876

Kettle

- Key Specifications
 - Voltage: 220-240V
 - Frequency: 50Hz
 - Power: 1500W Shining body
 - Capacity: 2.0L Rotary (360) cordless base lead to the convenience for use Easy-lift hinged lid

Blenders

2 product cards

A red and black single-serve blender with a clear plastic jar filled with orange juice. The base has a control dial and a power button.

Sapphire Crest SC-1588 Single Jar

Blender aluminum material

●

Key Specifications

- Plug: BS plug Cup: single cup + PC material Cup cover: Shiny effect

A red and black double-serve blender with two clear plastic jars, each filled with orange juice. The base has a control dial and a power button.

Sapphire Crest SC-1588 Double Jar

BLENDERS

●

Key Specifications

- Sapphire CrestBS plug blender -double jar PC material Shiny effect cup cover

Hot Plates

5 product cards



A white rectangular hot plate with two circular heating elements. It has two black knobs on the front and a power cord with a 3-pin plug.

HOT PLATE 6060

HOT PLATES

- Key Specifications
 - 2000W Available in 2 pin and 3 pin
 - Made in China



A white square hot plate with a single large circular heating element. It has a black knob on the front and a power cord with a 2-pin plug.

HOT PLATE 7060

HOT PLATES

- Key Specifications
 - 1000W Available in 2 pin and 3 pin
 - Made in China



A white square hot plate with a single large circular heating element. It has a black knob on the front and a power cord with a 2-pin plug.

HOT PLATE 8060

HOT PLATES

- Key Specifications
 - 1000W Available in 2 pin and 3 pin
 - Made in China

Hot Plates

5 product cards



A white rectangular hot plate with two black circular heating elements. It has a control knob on the left and a power cord on the right. The product is shown next to its retail box, which features a colorful floral design and the text 'HOT PLATE'.

HOT PLATE 9000

HOT PLATES

●

Key Specifications

- 2500WAvailable in 2 pin and 3 pin
- Made in China



A white rectangular hot plate with a single large black circular heating element. It has a control knob on the left and a power cord on the right. The front panel has a red indicator light and the text 'HOT LINE'.

HOT PLATE 9010

HOT PLATES

●

Key Specifications

- 1500WAvailable in 2 pin and 3 pin
- Made in China

Doorbells

11 product cards



PKD-001-AC

DOORBELLS

Key Specifications

- Doorbell, different songs, AC, 433.92MHz, 110-240V Round plug, single blister



PKD-002-AC

DOORBELLS

Key Specifications

- Doorbell, different songs, AC, 433.92MHz, 110-240V Round plug, single blister



PKD-003-AC

DOORBELLS

Key Specifications

- Doorbell, different songs, AC, 433.92MHz, 110-240V Round plug, single blister

Doorbells

11 product cards



PKD-004-AC

DOORBELLS

Key Specifications

- Doorbell, different songs
- AC, 433.92MHz
- 110-240V
- Round plug
- Single blister



PKD-005-DC

DOORBELLS

Key Specifications

- Doorbell, different songs
- DC, 433.92MHz
- Single blister



PKD-111AC

DOORBELLS

Key Specifications

- Doorbell AC 220V
- 12V 23A battery
- Volume: Low / Middle / High
- 38 musics
- Single side blister packing

Doorbells

11 product cards



PKD-222AC

DOORBELLS

Key Specifications

- Doorbell AC 220V
- 12V 23A battery
- Volume: Low / Middle / High
- 38 musics
- Single side blister packing



PKD-333AC

DOORBELLS

Key Specifications

- Doorbell AC 220V
- 12V 23A battery
- Volume: Low / Middle / High
- 38 musics
- Single side blister packing



PKD-444AC

DOORBELLS

Key Specifications

- Doorbell AC 220V
- 12V 23A battery
- Volume: Low / Middle / High
- 36 musics
- Single side blister packing

Doorbells

11 product cards



PKD-555AC

DOORBELLS

Key Specifications

- Doorbell AC 220V
- 12V 23A battery
- Volume: Low / Middle / High
- 36 musics
- Single side blister packing



PKD-666DC

DOORBELLS

Key Specifications

- Doorbell DC 2x1.5V
- 12V 23A battery
- Volume: Low / Middle / High
- 38 musics
- Silver finish, not wood

Insect Killers

6 product cards



PKI-7720

Insect killer

Key Specifications

- Input: 220-240V 50-60Hz
- Watt: 20W
- Lamp quantity: 2*10W Indoor use only Long working hours High attraction UV light Low power consumption Strong & Durable Aluminum Alloy + Plastic body Easy Installation & Maintenance



PKI-7730

Insect killer

Key Specifications

- Input: 220-240V 50-60Hz
- Watt: 30W
- Lamp quantity: 2*15W Indoor use only Long working hours High attraction UV light Low power consumption Strong & Durable Aluminum Alloy + Plastic body Easy Installation & Maintenance



PKI-7740

Insect killer

Key Specifications

- Input: 220-240V 50-60Hz
- Watt: 40W
- Lamp quantity: 2*20W Indoor use only Long working hours High attraction UV light Low power consumption Strong & Durable Aluminum Alloy + Plastic body Easy Installation & Maintenance

Insect Killers

6 product cards



A rectangular insect killer with a metal mesh grid and a white plastic frame. The brand name 'Marshal' is visible on the top left.

20W(2*10W)

INSECT KILLERS

●

Key Specifications

- 220v-240v, 50Hz/60Hz
- Plug: 2 round pin plug
- Brand: MARSHAL, with tube, alu alloy, with chain



A rectangular insect killer with a metal mesh grid and a white plastic frame. The brand name 'Marshal' is visible on the top left.

30W(2*15W)

INSECT KILLERS

●

Key Specifications

- 220v-240v, 50Hz/60Hz
- Plug: 2 round pin plug
- Brand: MARSHAL, with tube, alu alloy, with chain



A rectangular insect killer with a metal mesh grid and a white plastic frame. The brand name 'Marshal' is visible on the top left.

40W(2*20W)

INSECT KILLERS

●

Key Specifications

- 220v-240v, 50Hz/60Hz
- Plug: 2 round pin plug
- Brand: MARSHAL, with tube, alu alloy, with chain

Water Heaters

4 product cards



MA-1515 Blister card

WATER HEATERS

- Key Specifications
- 220V/1500W, 2*21*0.12 1.5M WIRE OUT D: 6.2mm TUBE LENGTH: 20.5CM TUBE D: 8.0mm



MA-1515 Color box

WATER HEATERS

- Key Specifications
- 220V/1500W, 2*21*0.12 1M WIRE OUT D: 5.25mm TUBE LENGTH: 20.5CM TUBE D: 8.0mm



MA-1818

WATER HEATERS

- Key Specifications
- RED BODY, WHITE WIRE, NO PLUG 3*24*12 1.5M WIRE/3*34*18 1.5M

Water Heaters

4 product cards



MA-1212

WATER HEATERS

- Key Specifications
- 220V/500W, 2*21*0.12 1M WIRE OUT D: 5.25mm TUBE LENGTH: 8CM. TUBE D: 5.8mm

Contact Sales

Shape Trading LLC

Cony Trading LLC

Sales: +971-4-2561779

Sales WhatsApp: +971 56 626 6883

www.shapet.ae

THANK YOU
